



Seed Treatment Compatibility & Planting Window Recommendations

ABI Extender PLUS America's Best Inoculant® PLUS pesticide: Maximum Planting Window Allowed After Inoculant Application

Liquid Inoculant formulations WITH ABI EXTENDER	Pesticide(s) *	In Tank Slurry*	Maximum Planting Window (Weeks)			
			1 Week	2 Weeks	3 Weeks	4 Weeks
Liquid Inoculant or Concentrate Liquid Inoculant	(No Pesticide)	24 hours	4 Weeks			
	Apron-Maxx® RTA Apron-Maxx® RFC Cruiser-Maxx® Pak**	4 hours	4 Weeks			
	Warden® RTA					
	Trilex® Series	4 hours	3 Weeks			

America's Best Inoculant® PLUS pesticide: Maximum Planting Window Allowed After Inoculant Application

Liquid Inoculant formulations WITHOUT Extender	Pesticide(s) *	In Tank Slurry	Maximum Planting Window (Days)						
			1 Day	2 Days	3 Days	4 Days	5 Days	6 Days	7 Days
Liquid Inoculant or Concentrate Liquid Inoculant	(No Pesticide)	24 hours	7 Days						
	Apron-Maxx® RTA Apron-Maxx® RFC Cruiser-Maxx® Pak	4 hours	5 Days						
	Trilex® Series Warden® RTA								

America's Best Inoculant® PLUS pesticide: Maximum Planting Window Allowed After Inoculant Application

Dry inoculant formulations:	Inoculant Only	Inoculant plus one of: Apron-Maxx® RTA, Apron-Maxx® RFC, Cruiser-Maxx® Pak**, Trilex® Series or Warden® RTA
Non-sterile Peat Soybean	Plant within 24 hours of application	Plant within 4 hours of application
Sterile Peat Soybean	Plant within 24 hours of application	Plant within 3 days of application

Precautions: Store treated seed in cool place, out of direct sunlight. Always use non-chlorinated water for pesticide dilutants when mixing with inoculants. Read and follow all label directions.

*Trademarks or registered trademarks of their respective owners, marketers or manufacturers.